

Technical Process Bulletin BONDERITE C-SO 6646 AERO FAST EVAPORATING SOLVENT (KNOWN AS TURCO 6646)

INTRODUCTION:

BONDERITE C-SO 6646 AERO (known as TURCO 6646) is a clear, colorless liquid formulated for hand-wipe cleaning of metal surfaces prior to bonding and painting.

BONDERITE C-SO 6646 AERO is ideal for cleaning electrical, electronic components, bearings and instruments that cannot tolerate a solvent that leaves a residue.

FEATURES:

- Composite vapor pressure is less than 45 mm Hg as defined by SCAQMD Rule 1124
- Evaporates rapidly
- Noncorrosive to ferrous and nonferrous alloys
- Excellent solvency for oily and aqueous soils
- Free of chlorinated solvents

USE INSTRUCTIONS:

BONDERITE C-SO 6646 AERO has a Tag Closed Cup flash point of 0°C. All storage and dispensing drums should be grounded by suitable approved methods. All dispensing containers should be made from non-sparking metals.

BONDERITE C-SO 6646 AERO is used at full strength. Apply to metal surface, using clean absorbent cloths or by means of a mist spray. Remove soil residues with clean cloth.

DISPOSAL INFORMATION:

Dispose of spent solution per local, state and regional regulations. Refer to HENKEL SURFACE TECHNOLOGIES MATERIAL SAFETY DATA SHEET for additional disposal information.

PRECAUTIONARY INFORMATION:

WARNING! Flammable liquid and vapor

BONDERITE C-SO 6646 AERO contains methyl ethyl ketone and methyl isobutyl ketone. Avoid contact with eyes, skin and clothing. Do not take internally. Use with adequate (equivalent to outdoor) ventilation.

Note: VOC = 803 g/L; VOC VP = 42 mm Hg (Rule 11241)



Technical Process Bulletin BONDERITE C-SO 6646 AERO FAST EVAPORATING SOLVENT

(KNOWN AS TURCO 6646)

BONDERITE C-SO 6646 AERO has a Tag Closed Cup flash point of 0°C. All bulk containers and dispensing equipment should be grounded by approved methods. Do not use near open flames or other sources of ignition. Do not store near strong oxidizing agents.

Protective clothing, such as a chemical face shield or goggles, gloves, boots and apron should be worn when handling this product. A **NIOSH approved** respirator equipped with a mechanical filter should be worn for mist conditions.

Empty containers may contain explosive amount of flammable vapors.

Before using this product refer to container label and HENKEL SURFACE TECHNOLOGIES MATERIAL SAFETY DATA SHEET for additional precautionary, handling and first aid information.

NOTICE:

The above information and recommendations concerning this product are based upon our laboratory tests and field use experience with this or similar products. However, since conditions of actual use are beyond our control, any recommendations or suggestions are made without warranty, express or implied. Manufacturer's and seller's sole obligation shall be to replace that portion of the product shown to be defective. Neither shall be liable for any loss, damage, or injury, direct or consequential, arising out of the use of this product.

Rev. 8/2013

Henkel Corporation | 32100 Stephenson Highway | Madison Heights, MI 48071 PHONE: (248) 583-9300 | FAX: (248) 583-2976 | www.henkelna.com/

Trademark usage

Except as otherwise noted, all trademarks in this document are trademarks of Henkel Corporation in the U.S. and elsewhere. (a) denotes a trademark registered in the U.S. Patent and Trademark Office.

The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. It is the user's responsibility to determine suitability for the user's purpose of any production methods mentioned herein and to adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the handling and use thereof. In light of the foregoing, Henkel Corporation specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits. The discussion herein of various processes or compositions is not to be interpreted as representation that they are free from domination of patents owned by others or as a license under any Henkel Corporation patents that may cover such processes or compositions. We recommend that each prospective user test his proposed application before repetitive use, using this data as a guide. This product may be covered by one or more United States or foreign patents or patent applications.

