



TAPMATIC® #1 GOLD

CUTTING FLUID



FEATURES

- Great for all metals including aluminum
- Increases tool life and improves surface finish
- Requires less product usage than traditional cutting fluids
- Does not contain chlorinated solvents or chlorinated paraffins
- Reduces cutting torque and improves cutting efficiency
- Does not contain water, solvents, or inactive fillers
- Excellent for tapping applications

PACKAGES

Qualified to: Boeing BAC 5008

Net Content	Part No.
11 wt.oz. /312 g/ 344 ml aerosol	40312
16 fl.oz. (473 ml)	40320
1 gal. (3.78 l)	40330
5 gal. (18.93 l)	40340
55 gal. (208 l)	40360

APPLICATIONS

- | | | | |
|-------------|-------------|-----------|-------------|
| • Boring | • Engraving | • Reaming | • Threading |
| • Broaching | • Facing | • Sawing | • Turning |
| • Drilling | • Milling | • Tapping | |

PROPERTIES



Color:	Gold	Specific Gravity (Water=1):	0.88-0.90 @ 68°F (20°C)
Odor:	Petroleum	Vapor Density (air=1):	>1
Vapor Pressure:	<7 Pascals @ 68°F (20°C)	VOC Content:	0 g/L
Evaporation Rate:	<0.1 (BuAc=1)	Partition Coefficient (octanol/water):	<1
Boiling Point:	466°F (241°C)	Viscosity:	<100 mm ² /second @ 77°F (25°C)
Flash Point (TCC):	300°F (149°C)		

MATERIAL SAFETY DATA SHEETS AVAILABLE UPON REQUEST OR VISIT OUR WEB SITE: WWW.LPSLABS.COM

LPS Laboratories • An Illinois Tool Works Company

P.O. Box 105052 • 4647 Hugh Howell Road • Tucker, GA 30085-5052 • TEL: (800) 241-8334 or (770) 243-8800 • FAX: (800) 543-1563 or (770) 243-8899

Internet Web Site: www.lpslabs.com

©2010 LPS Laboratories • LPS® is a registered trademark of Illinois Tool Works • Printed in U.S.A. • All Rights Reserved • Form #2087 • Rev. 5/2010