

SURFACE PREPARATION & AVIONICS CLEANERS

SUR-PREP[®] 5673



Product description:


CONTACT CLEANER AND DEFLUXER

FEATURES:

Clear and colorless appearance

KEY BENEFITS:

- Non-ozone depleting
- Non-flammable
- Low toxicity levels
- Very low surface residue
- Solubilizes a wide range of soils and surface contaminants
- Cleans resin solder flux residues



- Low GWP
- Fast evaporation

SPECS:

- Meets requirements of Boeing D6-17487 (Solvent cleaners)
- NSN: 7510-00-616-9588 (16 fl oz (473 ml) Aerosol)

APPLICATIONS:

- ✓ Use **Sur-Prep® 5673** on electronic components and energized circuits
- ✓ **Sur-Prep® 5673** is ideal for use as a defluxer
- ✓ Sur-Prep® 5673 can be sprayed into problem areas to loosen, lift, and flush away heavy deposits of oils, greases, and rosin solder flux residues

Rev: 20084C 04-06-2022









SUR-PREP[®] 5673



Product description:

CONTACT CLEANER AND DEFLUXER

APPLICATIONS:

✓ The Sur-Prep® 5673 aerosol can be used in conjunction with the Formit® extensions to provide targeted spray to areas that may be difficult to reach but need to be cleaned. Please refer to the technical data sheet for more information.

PHYSICAL PROPERTIES:

Appearance: Clear / Colorless

Boiling Point (°C): 44°C (111°F)

Dielectric Strength: 32,000 volts

Flash Point (°C): None

GWP: 43

Liquid Density (g/ml): 1.27

Low Heat of Vaporization (cal/g): 60

Ozone Depletion: 0.00

Surface Tension (Dynes/cm): 18

Vapor Pressure @ 23°C (73°F): 360

Viscosity (cps): 0.40





SUR-PREP[®] 5673



Product description:

CONTACT CLEANER AND DEFLUXER

AVAILABLE PACK SIZES:

- Case of 12 of 16 fl oz (473 ml) Aerosols-008597
- Case of 4 each Gallon (4 each of 3.8L) Cans-009384
- 5 Gallon (18.9L) Pail-009385
- > 55 Gallon (208L) Drum-009386
- Special packaging upon request

